COLOR LIST OF POLYESTER



FUFU'S

THREAD CO., LTD



Care Instructions

Washing Chalwoodered articles should be washed sparately. Do not pack emboudered articles tipitly in axiling machine. Emboudered articles should be induceded with mild differents. Desergence containing clothers, personal column crishonate, or opitial brightness can be used. Emboudered erricles should circulate fevely, on present insperior containing and articles of triples in unabed team from the present in the present of the present of

Color Fashness:FuFu polyester embroidery threads meet AATCC and JIS standards with respect to color fastner (Temp 160 F or 95°C). The use of certain dyes may change in order to adhere to the above mentioned standards.

any residue that may remain

froning. Use a low temperature setting when ironing embroidered garments. Cover the item with a towel and iron lightly from the back side.

pplications:Polyester embroidery thread is resistant to bleaching, strong industrial detergents, exposure to sun ligialt water and is flame retardent, it can be used to embroider upon children's clothing, industrial clothing, uniforms,

Environmental Sarbly No environmentally harmful products or carcinogens are utilized in the production of or product. All water used to dye our thread is properly treated to spendate dye stuff from the water used in production product all water used to dye our thread is properly treated to spendate dye stuff from the water used in production product all water used to the production of the production of

Instrucciones de Cuido

(Großung & recomenda upen un articular con bendena sans Insedia separadamme, con deregantas (see, Se pada ultimar deregentes concentuals con; personals under de carbon chaine, a algan tipa de brillado de colores. It under deregentes consentantes con personals con la consentante de la consentante de la companio del companio de la companio del companio del

Fijocion de Goloronies/Utilizamos hilo de poliester de acuerdo con las reglas establecidas para mantener fijacion de colorantes (temp 160°F o 95°C). El uso de ciertos colorantes o tintas puede ser verisdo para cumplir con las reglas.

Loyado en Seco: La ropa con bordadura se puede laver en seco. Es importante evitar contacto con productos quimisos para sacar manchas. Si se utilizan estos productos, no permita que toque las secciones con las bordadure Arequisea de remover todo el resido a utilizan.

Pianchan-Utilize un plancha con temperatura baja. Es importante volver al-reves y tapar con una toalla seca para planchar sobre las secciones con bordaduras.

Utoxi, os bilos de poliester son resistentes a bianqueadores, detergentes fuertes industriales, la luz solar, agua de man y sambles son retardantes al fuego. Son seguros para ropa de niños, ropa para uso industrial, unifermes, ropa de cama fuerte azul y depoetos.

El Montenmiento Del Medio Ambiente No usamos nigna producto que sea daño al ambiento a los ser humanos.

El Montenmiento Toda el agua entinada para den riente a meserco hilos en transida adecuadamente para separar los totates de desenvolvente de la comparación del la comparación de la comparación del comparación del la comparación

注意事值

李公司所製造的果酯锈線、均不含磁馬林及偶製成份等效症的化學物質。

本公司的質虧誘致,與倘藉拉力、高盤甲值、色澤光房等機能。日類色整率、粉強力克質前及工業洗練、耐氧混及石面洗。 在強和關光的端水中。亦不會概念。

 洗滌時、親好鄉使用不會對親職或品或有料產生面接或不和諸反應的中性洗潔用。 当请用高大洗滌,目充分使用冶火沖洗乾 淨。以除去外有的洗練和接餘。

适田期相同的轄線,尤其是有左右相對稱其綜合情形的。 若有特殊需要,截屬訂象及公別密修,染約代工申頁,請合別本公司營業部。

本商品別級,著作權所有,侵犯必追究。









PANTONE MATCHING SYSTEM® Cross-References*

which represents the closest available PANTONE MATCHING SYSTEM® Color viewing the colors under cool white fluorescent lighting(4100° K). Color appearance will vary based on lighting conditions and angle of view, PANTONE® and other Pantone, Inc. trademarks are the property of Pantone, Inc. Portions © Pantone, Inc. 1963, 1991



						s Rayon Compar			
PANTONE MATCHING	FuFu's	PANTONE MATCHING	PaFa's	PANTONE MATCHING	FuFu's	PAYTONE MATCHING	FuFu's	PAYTONE MATCHING	PuFu's
ZZZTEM @	Color	STATEM ®	falor	© KELSIS	Color	STATEM ®	Color	STSTEM ®	Color
(ross-Reference*	Number	(ross-Reference"	Aumler	(ress-Reference*	Yumber	Cross-Reference"	Amler	(russ-Reference"	Vimber
PANTONE 102C	. 542	PANTONE 216C	1182	PANTONE 363C	231	PANTONE 653C	333	PANTONE 2613C	603
PANTONE 108C		PANTONE 219C		PANTONE 367C		PANTONE 654C	334	PANTONE 2617C	676
PANTONE 109C		PANTONE 222C	1586	PANTONE 368C	229	PANTONE 654C	335	PANTONE 2617C	694
PANTONE 109C	546	PANTONE 223C	125	PANTONE 371C	2013	PANTONE 655C	616	PANTONE 2623C	6655
PANTONE 111C	283	PANTONE 226C	023	PANTONE 377C	275	PANTONE 659C	K07	PANTONE 2627C	605
PANTONE 112C		PANTONE 227C		PANTONE 378C		PANTONE 662C		PANTONE 2655C	661
PANTONE 114C		PANTONE 236C		PANTONE 385C		PANTONE 667C		PANTONE 2685C	663
PANTONE 116C		PANTONE 240C		PANTONE 385C		PANTONE 669C		PANTONE 2685C	695
PANTONE 116C		PANTONE 241C		PANTONE 390C		PANTONE 670C		PANTONE 2685C	696
PANTONE 117C		PANTONE 248C		PANTONE 391C		PANTONE 683C		PANTONE 2705C	622
PANTONE 124C		PANTONE 254C		PANTONE 403C		PANTONE 687C		PANTONE 2728C	366
PANTONE 125C		PANTONE 255C		PANTONE 405C		PANTONE 688C		PANTONE 3015C	373
PANTONE 130C		PANTONE 268C		PANTONE 410C		PANTONE 698C		PANTONE 3105C	K33
PANTONE 132C		PANTONE 273C		PANTONE 412C		PANTONE 701C		PANTONE 3145C	378
PANTONE 134C		PANTONE 273C		PANTONE 426C		PANTONE 706C		PANTONE 3282C	222
PANTONE 136C		PANTONE 273C		PANTONE 440C		PANTONE 707C		PANTONE 3285C	221
PANTONE 137C		PANTONE 274C		PANTONE 450C		PANTONE 711C		PANTONE 3415C	266
PANTONE 137C		PANTONE 275C		PANTONE 453C		PANTONE 716C		PANTONE 3425C	255
PANTONE 148C		PANTONE 281C		PANTONE 471C		PANTONE 718C		PANTONE 3435C	257
PANTONE 151C		PANTONE 282C		PANTONE 483C		PANTONE BOZC		PANTONE 4485C	844
PANTONE 163C		PANTONE 284C		PANTONE 486C		PANTONE BOGC		PANTONE 4545C	731
PANTONE 165C		PANTONE 285C		PANTONE 488C		PANTONE 809C		PANTONE 4625C	745
PANTONE 166C		PANTONE 285C		PANTONE 493C		PANTONE 1245C		PANTONE 4635C	737
PANTONE 169C		PANTONE 286C		PANTONE 496C		PANTONE 1255C		PANTONE 4985C	794
PANTONE 169C		PANTONE 291C		PANTONE SOOC		PANTONE 1365C PANTONE 1375C		PANTONE 5295C PANTONE 5395C	360
PANTONE 169C		PANTONE 292C PANTONE 294C		PANTONE SOSC		PANTONE 1375C			342
PANTONE 172C				PANTONE SOGC		PANTONE 1375C		PANTONE 5483C PANTONE 5493C	2040
PANTONE 174C		PANTONE 29SC PANTONE 31SC		PANTONE 514C		PANTONE 1385C		PANTONE 5493C	2040
PANTONE 177C									238
PANTONE 179C		PANTONE 316C		PANTONE 526C		PANTONE 1405C		PANTONE 5753C	238
PANTONE 179C		PANTONE 321C		PANTONE 540C		PANTONE 1605C		PANTONE 5763C	730
PANTONE 179C PANTONE 186C		PANTONE 326C		PANTONE 546C		PANTONE 1685C		PANTONE 9101C	524
PANTONE 186C PANTONE 187C		PANTONE 328C		PANTONE SAGO		PANTONE 1685C		PANTONE 116C 2X	900
PANTONE 187C		PANTONE 329C		PANTONE 566C		PANTONE 1797C		PANTONE 433C 2X	900
PANTONE 190C		PANTONE 331C		PANTONE 567C		PANTONE 1895C		PANTONE 803C 2X	5
PANTONE 190C		PANTONE 338C		PANTONE 575C		PANTONE 1903C		PANTONE 804C 2X	3
PANTONE 191C		PANTONE 347C		PANTONE 579C		PANTONE 1915C		PANTONE 805C 2X	18
PANTONE 1920		PANTONE 348C		PANTONE 582C		PANTONE 1925C		PANTONE BITC 2X	10
PANTONE 196C		PANTONE 348C		PANTONE 600C		PANTONE 1925C	1084		367
PANTONE 202C		PANTONE 351C		PANTONE 626C		PANTONE 2365C		PANTONE	201
PANTONE 207C		PANTONE 351C		PANTONE 626C		PANTONE 2567C	672	Black C	415
PANTONE 208C		PANTONE 357C		PANTONE 631C		PANTONE 2573C		PANTONE BIBOK C	410
PANTONE 210C		PANTONE 357C		PANTONE 638C		PANTONE 2577C	673		544
PARTUNE 210C	104	PANTONE SOUC	202	PANTONE 030C	3/1	PANTONE 23//C	6/3	Tellow 012 C	344

232 PANTONE 652C

PANTONE 211C

105 PANTONE 362C

332 PANTONE 2587C

TABLE FOR FINDING COLOR NUMBERS

Color No.	Col.	Color No.	Col	Color No.	Col	Color No.	Cal.	Color No.	Col.	Color No.	Col.
101	4	1084	1	261	8	378	11	562	15	745	19
102	4	1085	1	262	8	383	11	563	15	749	19
103	4	1086	1	263	8	384	11	564	15	751	17
104	4	1107	1	264	8	385	11	565	15	752	17
105	4	1119	5	265	8	391	12	601	14	753	17
106	4	1120	5	266	8	392	12	603	14	755	17
110	2	1121	5	273	9	393	12	605	14	765	17
111	2	1122	5	275	9	411	13	612	16	767	17
116	5	1182	5	277	9	413	13	614	16	769	17
117	5	1586	5	283	9	415	13	616	16	783	18
123	4	1600	3	284	9	416	13	622	17	784	18
125	4	1602	3	285	. 9	421	15	624	17	785	18
127	4	1603	3	291	7	422	15	626	17	786	18
128	4	1900	3	292	7	423	15	632	14	792	16
129	4	1902	3	293	7	434	13	635	14	794	16
131	4	1904	3	294	7	436	13	653	13	796	16.
133	4	1906	3	2011	6	461	12	654	13	800	19
135	4	1908	3	2013	6	452	12	661	16	801	19
137	4	1910	3	2015	6	453	12	663	16	811	18
140	3	200	7	2040	12	483	12	665	16	813	18
141	3	201	11	2042	12	484	12	672	16	815	18
- 143	3	203	11	307	8	485	12	673	16	842	18
145	3	205	11	308	8	488	12	674	16	844	18
147	3	206	11	310	11	487	12	675	16	850	19
155	1	210	11	312	11	488	12	676	16	900	20
156	1	214	11	314	11	489	12	687	17	007	10
163	2	218	11	332	10	501	13	688	17	023	1
165	2	219	7	333	10	502	13	689	17	055	10
167	2	220	7	334	10	503	13	694	18	074	6
170	2	221	7	335	10	512	13	695	.18	083	1
. 172	2	222	7	342	- 8	514	13	695	18	1	20
180	5	223	7	344	8	516	13	6655	13	2	20
182	5	228	7	357	9	521	14	700	1	3	20
184	5	229	7	358	9	522	14	702	1	4	20
186	5	231	7	3588	9	523	14	703	1	5	20
188	2	232	7	360	9	524	14	711	18	6	20
190	2	233	7	- 361	10	525	14	713	18	8	20
192	2	236	6	362	10	526	14	715	18	9	20
194	2	237	6	363	10	531	15	721	17	10	20
196	2	238	6	364	10	532	15	723	17	11	20
198	2	243	8	365	10	533	15	730	19	13	20
1011	5	244	8	366	10	534	15	731	19	14	20
1013	5	245	8	367	10	535	15	733	19	17	20
1014	5	247	8	368	10	537	15	734	19	18	20
1021	3	248	8	369	9	540	14	735	19	K07	10
1051	2	251	6	370	9	542	14	737	19	K33	6
1053	2	252	6	371	9	544	14	738	19	K37	6
1081	1	253	6	372	9	546	14	739	19	K38	16
1082	1	255	6	373	9	560	15	741	19	P52	8
1083	1	257	6	376	11	561	15	743	19	Y40	1